

Product data sheet Closer body TS 3000 V BC



Main body for overhead door closer with guide rail EN1-4 with back check

AREAS OF APPLICATION

- → Fire and smoke protection doors
- → Right and left single-action doors
- → Single-action doors up to 1100 mm leaf width
- → Door leaf and transom installation on the hinge and opposite hinge side

Closer body TS 3000 V BC



PRODUCT FEATURES

- ightarrow Closing force with variable adjustment from the side
- ightarrow Closing seed can be adjusted from the front via valve
- ightarrow Latching action can be adjusted from the front via valve
- ightarrow Back check can be adjusted from the front via valve
- → Door closer, can be used for right and left hand doors
- → Door closer, can be used for leaf and transom installation
- ightarrow Minimal installation effort due to low number of individual parts and quick setting

TECHNICAL DATA

Productname	Closer body TS 3000 V BC			
Closing force in accordance with EN 1154	EN 1 - 4			
Leaf width (max.)	1100 mm			
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side, Transom installation hinge side			
Opening angle (max.)	180°			
Identical design for DIN left and DIN right	Yes			
Standard conformity	EN 1154:1996/A1:2002/AC:2006			
Suitability for fire protection doors	Yes			
Mounting plate with hole pattern in accordance with EN 1154 supplement	Yes			
Length	226 mm			
Width	46 mm			
Height	60 mm			
Closing force adjustable	Yes, stepless			
Adjustable closing speed	Yes			
Latching action adjustable	Yes, via valve			
Back check integrated	Yes, hydraulically adjustable			
Position of closing force adjustment	At the side			
Safety valve againts overload	Yes			
Thermo-control valves	Yes			
Smoke switch integrated	No			

Closer body TS 3000 V BC



VARIANTS / ORDER INFO

Designation	Description	Ident- No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 3000 V BC Closer	Closing force EN 1-4, with back check (without guide rail and lever)	109328	white RAL 9016	EN 1 - 4	226 x 46 x 60 mm
GEZE TS 3000 V BC Closer	Closing force EN 1-4, with back check (without guide rail and lever)	109326	silver-coloured	EN 1 - 4	226 x 46 x 60 mm
GEZE TS 3000 V BC Closer	Closing force EN 1-4, with back check (without guide rail and lever)	109327	dark bronze	EN 1 - 4	226 x 46 x 60 mm
GEZE TS 3000 V BC Closer	Closing force EN 1-4, with back check (without guide rail and lever)	109329	according to RAL	EN 1 - 4	226 x 46 x 60 mm

INSTALLATION MATERIAL

MOUNTING PLATE DOOR CLOSER

for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1



Designation	Description	Ident-No.	Colour	Dimensions
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011232	dark bronze	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011233	white RAL 9016	226 x 60 x 5 mm
Mounting plate door closer *	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	135237	black RAL 9005	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011230	silver-coloured	226 x 60 x 5 mm
Mounting plate door closer	for TS 3000 with hole pattern according to DIN EN 1154 Supplement 1	011234	according to RAL	226 x 60 x 5 mm

GEZE GmbH Reinhold-Vöster-Straße 21–29 D-71229 Leonberg TEL +49 7152 203-0 WEB www.geze.de Mail info.de@geze.com 2024-03-30T04:03:06Z

^{*} The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.